Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report Number 12, June 23, 2008

Crop Report for June 22, 2008

In general, crops are at least 50 per cent in good to excellent condition, according to Saskatchewan Agriculture's weekly crop report.

Provincially, fall cereal crops are reported to be 55 to 70 per cent in good to excellent condition, with 49 per cent of the crops at, or ahead of normal development. Spring cereal crops are 65 to 80 per cent in good to excellent condition, with 37 per cent of the crops at normal development. Flax and canola crops are reported to be 63 and 53 per cent in good to excellent condition respectively, and 31 per cent at normal development. Pulse crops are 65 to 75 per cent in good to excellent condition, with 43 per cent reported to be at, or ahead of normal development for this time of year.

According to crop reporters, 72 per cent of crop land has adequate topsoil moisture, while 27 per cent of the land has short or very short moisture. Sixty-two per cent of hay and pasture land is rated as having adequate topsoil moisture conditions, with the rest rated as short or very short. The top portion of the west central, as well as the northwest regions are currently reported to be the driest areas in the province.

Haying operations on the 2008 crop are just getting underway, with one per cent cut or baled. Hay crops are expected to have below average yields in most areas of the province. In dry areas, producers are not sure if there will even be enough crop to cut.

Crop damage came from a number of sources, but was relatively minimal across the province with the exception of gopher damage and a heavy hail storm in the northeast.

Farmers were kept busy applying herbicide during the past week.

NOTE: THERE WILL BE NO CROP REPORT NEXT WEEK!

For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Ministry of Agriculture
306-787-5956

Available on the Ministry of Agriculture Internet site at: www.agriculture.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

SK Crop Development - June 22, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	1	48	51
Spring Cereals	0	37	63
Oilseeds	0	31	69
Pulse Crops	1	42	57

Saskatchewan Crop Conditions, June 22, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	3	7	6	10	7	5	0
% good	53	64	58	65	60	64	83
% fair	33	21	30	23	28	27	11
% poor	11	8	5	2	4	4	6
% very poor	0	0	1	0	1	0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	4	4	2	5	8	10	6	7
% good	59	49	56	48	58	65	54	68
% fair	32	36	33	40	31	22	35	23
% poor	5	9	8	7	3	2	5	2
% very poor	0	2	1	0	0	1	0	0

1 Year Ago

Crops were generally in good to excellent condition.

Flooding and spraying delays were causing concerns for farmers.

Topsoil moisture on crop land deteriorated as a result of the heavy rains.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN
Crop Insurance

Southeast Saskatchewan Crop Conditions, June 22, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	3	9	9	17	8	6	0
% good	50	44	59	55	61	64	100
% fair	35	37	29	25	28	27	0
% poor	11	10	2	2	2	2	0
% very poor	1	0	1	1	1	1	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	7	4	2	6	11	14	12	23
% good	59	42	38	52	53	57	48	34
% fair	31	40	48	36	34	27	32	40
% poor	3	7	6	6	2	2	8	3
% very poor	0	7	6	0	0	0	0	0

South eastern Saskatchewan
(Crop Districts 1, 2, & 3ase)

The south eastern region was warm to hot this past week, with some light showers. An average of 3 mm of precipitation was reported, ranging from an average low of trace amounts reported in Crop District (CD) 2a, to an average high of 6 mm reported in CD 1b. There continues to be flooding damage in the Moosomin area from the previous week's rains. Hail damage was reported in the Moosomin, Rocanville and Oxbow areas with minimal damage expected. The Qu'Appelle area had some drought damage.

Topsoil moisture conditions on cropland deteriorated from last week. Reporters rate 78% of the crop land as having adequate topsoil moisture conditions, compared with 88% last week. Conditions also deteriorated on hay and pasture land, with 76% of the land rated as having adequate topsoil moisture compared to 93% last week. Many areas are looking for more rain.

Canola crops in the Broadview area are showing several different stages within the same field. In the Weyburn area, some oilseeds are showing bolting and emerging in the same field. Around Pangman and Radville, canola and mustard crops are patchy. Crops are still patchy and uneven in the Montmartre area. In the Odessa area, it appears flax crops have more frost damage than first thought. Around Briercrest, many canola crops are a mix of rosette to flowering stages.

Gophers continued to cause crop damage in the Moosomin, Broadview, Weyburn, and Minton areas. Flea beetles caused crop damage in CDs 1 and 2b, with the heaviest damage being done in CD 1b. Insecticides for flea beetles were in short supply in the Montmartre area. Grasshoppers caused damage to canola crops in the Briercrest area. Leaf disease was present in the Moosomin area and tanspot reported in the Ceylon area. Winter wheat crops were being sprayed with fungicide in the Briercrest area.

First-cut haying is just getting underway with less than 1% of the crop cut. Most farmers expect low-yielding hay crops, even with the previous week's rain. Pastures have improved, but are still short.

Many farmers spent last week on their sprayers tackling the weed populations.

SE SK Crop Development - June 22, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	5	47	48
Spring Cereals	1	30	69
Oilseeds	0	25	75
Pulse Crops	0	38	62

Southwest Saskatchewan Crop Conditions, June 22, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	2	10	8	9	4	4	0
% good	44	70	74	75	78	81	100
% fair	30	16	17	15	17	14	0
% poor	23	4	1	1	1	1	0
% very poor	1	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	4	5	1	n/a	3	12	3	0
% good	62	59	73		80	78	81	86
% fair	33	26	19		15	9	16	14
% poor	1	10	7		2	1	0	0
% very poor	0	0	0		0	0	0	0

South western Saskatchewan
(CDs 3asw, 3an, 3b, & 4)

The southwest saw warm days with some showers. An average of 3 mm of precipitation was reported, ranging from an average low of 1 mm reported in CD 3asw, to an average high of 5 mm reported in CDs 3bs and 4b. There was some flooding damage in the Cadillac area when a Monday night thunderstorm dumped up to 75 mm in a narrow half mile swath.

Topsoil moisture conditions on cropland improved somewhat from last week. Reporters rated 92% of crop land as having adequate topsoil moisture, compared to 88% last week. Conditions deteriorated slightly on hay and pasture land with 87% of the land rated as having adequate topsoil moisture, compared with 93% last week.

In the Hazenmore area, some fields of mustard were re-seeded because of spotty germination. Some crops that were seeded in April are finally starting to germinate in the Stewart Valley area.

Gophers damaged crops across the southwest during the past week. Gophers are moving back and re-infesting land where control measures had been taken. Some fields in the Rush Lake area have been treated up to four times. Cutworm damage was reported in several areas. Flea beetles damaged crops in the Limerick area. Farmers were spraying for ascochyta blight in the Glenbain area. Farmers were spraying grasshoppers in the Bengough area. Spraying has started for ascochyta blight in the Glenbain area.

Haying operations are just getting underway with less than 1% of the hay cut. Hay crops are very short.

Last week was busy with spraying for farmers as weeds also took advantage of the recent rain and warmer weather. Other jobs included hauling grain and rolling crops.

SW SK Crop Development - June 22, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	0	50	50
Spring Cereals	0	44	56
Oilseeds	0	42	58
Pulse Crops	1	43	56

East Central Saskatchewan Crop Conditions, June 22, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	5	10	7	2	14	10	0
% good	60	70	65	60	63	65	100
% fair	33	16	26	35	22	23	0
% poor	2	4	2	3	1	2	0
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	2	6	4	0	6	12	4	0
% good	57	48	48	43	49	63	45	47
% fair	35	35	41	57	45	24	46	47
% poor	6	11	7	0	0	1	5	6
% very poor	0	0	0	0	0	0	0	0

East central Saskatchewan
(Crop Districts 5 & 6a)

Warm weather helped to improve growing conditions in the east central region during the past week. An average of 3 mm of precipitation was reported, ranging from an average low of 1 mm reported in CD 6a, to an average high of 7 mm reported in CD 5b. Water in low spots in the Goodeve area caused crop damage. Hail damage was reported in the Jedburgh area. Hail also came down in the Stenen area, but damage is unknown.

Topsoil moisture conditions on cropland were similar to last week, with 89% of the crop land reported as having adequate topsoil moisture, compared with 91% last week. Conditions deteriorated on hay and pasture land, with 83% of the land reported as having adequate topsoil moisture, compared to 92% last week.

Canola crops showed poor germination in the Neudorf area. Canola crops are also lagging well behind normal in the Holdfast area and patchy in the Craik, Semans, Nokomis, Young, and Humboldt areas.

Flea beetles damaged crops in the Neudorf area. Tanspot damaged crops in the Lumsden area. Leaf disease also was present in the Kamsack area. Gophers were damaging in the Lumsden and Earl Grey areas. Winter wheat crops in the Stockholm area were sprayed for leaf disease.

Some harvesting of the 2008 hay crop has begun, with about 3% of the hay cut. Most reporters expect that the hay crops will be below average yield. Some hay land will not be able to recover enough for a crop to be harvested.

Spraying is in high gear as weed pressure is heavy. Pastures have shown some improvement.

EC SK Crop Development - June 22, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	0	35	65
Spring Cereals	0	26	74
Oilseeds	0	16	84
Pulse Crops	1	31	68

West Central Saskatchewan Crop Conditions, June 22, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	1	4	3	6	1	3	0	
% good	30	45	51	47	48	54	22	
% fair	57	33	39	40	45	37	67	
% poor	12	18	7	7	6	6	11	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	0	1	3	0	11	4	0	0
% good	53	51	47	0	47	61	43	33
% fair	37	38	42	70	38	33	51	40
% poor	9	8	7	30	3	2	6	27
% very poor	1	2	1	0	1	0	0	0

West central Saskatchewan
(Crop Districts 6b & 7)

The west central region saw warm temperatures much of the past week. An average of 8 mm of precipitation was reported, ranging from an average low of 2 mm reported in CD 6b, to an average high of 13 mm reported in CD 7b. Drought damage was reported in several areas throughout the region. Slight hail damage was reported in the Herschel, Major, and Denzil areas. Flooding was also reported in the Denzil area.

Topsoil moisture conditions on cropland are drier than last week. Reporters rated 51% of crop land as having adequate topsoil moisture, compared to 65% last week. Conditions also deteriorated on hay and pasture land with 29% of the land rated as having adequate topsoil moisture compared to 52% last week.

Later-seeded canola crops are very patchy in the Arelee area. Crops are suffering from lack of moisture in the Harris area – there are many different stages within the same field, and leaves are burning off. Oilseed crops in the Biggar area have poor emergence. Some canola was re-seeded in the Denzil area. In the Battleford area, less than half the seeds have germinated in some canola fields.

Flea beetles damaged crops in the Denzil area.

Three per cent of the 2008 hay crop has been cut or baled. Yields are expected to be well below normal.

Farmers were busy spraying for weeds and doing chemfallow. Windy weather delayed spraying in several areas across the region. Some were seeding for greenfeed or swath grazing.

WC SK Crop Development - June 22, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	2	51	47
Spring Cereals	0	34	66
Oilseeds	0	31	69
Pulse Crops	0	48	52

Northeast Saskatchewan Crop Conditions, June 22, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	2	10	2	1	0	
% good	68	91	70	75	66	71	85	
% fair	22	9	26	15	30	26	15	
% poor	10	0	2	0	2	2	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	3	2	0	n/a	0	7	2	n/a
% good	82	65	70		34	77	81	
% fair	15	29	28		66	16	17	
% poor	0	4	2		0	0	0	
% very poor	0	0	0		0	0	0	

North eastern Saskatchewan
(Crop Districts 8 & 9ae)

The north eastern region had warm weather this past week. An average of 4 mm of precipitation was reported, ranging from an average low of 4 mm reported in CD 8, to an average high of 8 mm reported in CD 9ae. There was some hail damage in the Porcupine Plain and Lake Lenore areas. Up to 80% of some crops are damaged in the Porcupine Plain area. Drought and heat also caused some crop damage.

Topsoil moisture conditions are drier this past week, with 60% of the crop land rated as having adequate topsoil moisture, compared with 70% last week. Conditions are also drier on hay and pasture land with 41% of the land reported as having adequate topsoil moisture compared to 66% last week. Significant rain is needed soon for some crops.

Some canola crops are patchy in the Tisdale area, while some crops are starting to burn and turn yellow. In the Hoey area, crops on tilled land look better and are more advanced than those seeded on standing stubble.

Some farmers have begun cutting the 2008 hay crop in CD 8b. Hay crops are expected to yield below average.

Farmers were busy spraying herbicides. Wind hampered spraying in some areas.

NE SK Crop Development - June 22, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	0	73	27
Spring Cereals	0	60	40
Oilseeds	0	58	42
Pulse Crops	0	66	34

Northwest Saskatchewan Crop Conditions, June 22, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	2	0	0	0	0
% good	31	25	26	0	33	30	0
% fair	36	20	46	0	43	49	0
% poor	33	55	22	100	20	18	100
% very poor	0	0	4	0	4	3	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	0	1	0	n/a	0	8	0	n/a
% good	43	28	0		0	28	0	
% fair	35	48	0		0	51	0	
% poor	22	15	100		100	9	100	
% very poor	0	8	0		0	4	0	

North western Saskatchewan
(Crop Districts 9aw & 9b)

The north western region was warmer during the past week. An average of 8 mm of precipitation was reported across the region. Some hail was reported in the North Battleford area. The hot, dry weather caused the majority of the crop damage. There was some wind damage to crops in the Pierceland area.

Topsoil moisture conditions on cropland continued to deteriorate during the past week. Eighteen per cent of the crop land is rated in an adequate topsoil moisture situation, compared with 26% last week. Conditions were also drier on hay and pasture land with 13% of the land rated as having adequate topsoil moisture compared to 17% last week.

Crops and pastures are burning in the Speers area. Germination was very patchy in the Mayfair area. In the Big River area, germination on later-seeded crops is poor with the hills bare. Some crops are starting to decline with little or no growth in the Meadow Lake area.

Haying operations have not yet started in the northwest, but hay crops are poor and expected to yield well below average. Pastures are also very poor and cattle are quickly going through what grass there is.

Flea beetles and grasshoppers caused crop damage in the Duck Lake area. Gophers caused crop damage in the North Battleford and Medstead areas.

Farmers were spraying for weeds. Some greenfeed was still being planted.

NW SK Crop Development - June 22, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	0	57	43
Spring Cereals	1	38	61
Oilseeds	0	38	62
Pulse Crops	1	40	59

Growing Degree Days Above 5°C

calculations based on temperatures given by crop reporters

R.M.	Since April 1		Jun 15-21	Total
3	328.5		98.5	427
17A	321.5		83.5	405
38B	353	*	92.5	445.5
43A	346.8		95	441.8
44	308.5			308.5
68	427.2		99.95	527.15
72	287.8		74.5	362.3
73B	275.5		80.5	356
75B	334.7	*	87.5	422.2
76A	351.85		95.8	447.65
78A	276		81.5	357.5
97	333.785		87.2	420.985
111A	395.6		87.5	483.1
123	235.5		80	315.5
124	235.1	*	73.05	308.15
132	290.5	*	76.5	367
138	391.5		97.5	489
141	357.6	*	84.85	442.45
142	430		102.2	532.2
151B	254.95		80.6	335.55
166	360.5	*	106.5	467
167	283	*	79.5	362.5
185	282.2	*	89.75	371.95
190B	364.75	*	96.05	460.8
193	376.75		87.05	463.8
221	315.3	*	82.95	398.25
246	251.65		76.35	328
271	235		76	311
277	276.35	*	79.65	356
283	315.6	*	83.3	398.9
285	380.45		89	469.45
287	291.5	*	84	375.5
312	290.95		86.85	377.8
318A	323		81	404
336	267	*	73.5	340.5
339	272.25		78	350.25
340A	273.5	*	75	348.5
343	382.95		94.5	477.45
370	323.5			323.5
379	308	*	78.55	386.55
397	232.25		74.75	307
428	299.5		84	383.5
429B	262	*	85	347
442	315.5		69	384.5
456	199.5		72	271.5
488	378.55		71.35	449.9
496	319.5		78.5	398
502	330.5		77	407.5

* missing 1 to 7 days of data

A degree day is defined as a measure of the departure of temperature for a day from some reference temperature. They are expressed in degrees of temperature. For plant growth, a base of 5°C is generally used, although the base varies for each plant species and, in fact, varies throughout the life of the plant from germination to maturity. By accumulating degree days throughout the growing season, it is possible to forecast harvesting dates.

Weekly Rainfall Summary

(in millimeters)

for the week ending June 21, 2008

Crop Dist.	No.	Municipality Name	Past Week	Since April 1
1A	1	Argyle	9	171
	2	Mount Pleasant	4	148
	3	Enniskillen	NIL	153
	33 A	Moose Creek	9	124
	33 B	Moose Creek	4	142
	34	Browning	NIL	105
	61	Antler	N/A	189 *
	64	Brock	NIL	116
	65	Tecumseh	NIL	74
1B	91	Maryfield	N/A	171 *
	92	Walpole	14	148
	93	Wawken	1	127
	94	Hazelwood	TR	141
	95	Golden West	NIL	93
	121	Moosomin	7	175
	122	Martin	7	155
	123	Silverwood	NIL	110
	124	Kingsley	1	125
	125	Chester	4	80
	151 A	Rocanville	19	167
	151 B	Rocanville	14	141
	153	Willowdale	N/A	128 *
	154	Elcapo	8	123
	155	Wolseley	2	94
2A	36	Cymri	NIL	98
	66	Griffin	NIL	100
	67	Weyburn	NIL	104
	68	Brokenshell	NIL	103
	69	Norton	NIL	134
	96	Fillmore	NIL	88
	97	Wellington	NIL	77
	99	Caledonia	NIL	106
2B	126	Montmartre	NIL	72
	127	Francis	1	77
	129	Bratt's Lake	1	72
	131	Baildon	1	101
	156 A	Indian Head	12	108
	157	South Qu'appelle	1	82
	158	Edenwold	1	105
	160	Pense	NIL	127
	161	Moose Jaw	9	133
	191	Marquis	NIL	120
3ASE	9	Surprise Valley	1	108
	38 A	Laurier	NIL	137
	38 B	Laurier	NIL	121
	39 A	The Gap	NIL	129
	39 B	The Gap	NIL	107
3ASW	10	Happy Valley	NIL	114
	12	Poplar Valley	1	109
	40	Bengough	NIL	137
	42	Willow Bunch	5	147
	43 A	Old Post	3	166
	43 B	Old Post	1	126
	44	Waverley	2	145
	70	Key West	NIL	154
	71 A	Excel	NIL	152
	71 B	Excel	1	159
	71 C	Excel	NIL	177
	72	Lake Of The Rivers	NIL	154
	73 A	Stonehenge	NIL	169
	73 B	Stonehenge	1	183
3AN	101	Terrell	2	147
	102	Lake Johnston	1	117
	103	Sutton	5	171
	132	Hillsborough	6	126
	134	Shamrock	NIL	170
	164	Chaplin	1	148
	193	Eyebrow	NIL	120
	194	Enfield	N/A	106 *
3BS	17 A	Val Marie	21	209
	17 B	Val Marie	N/A	130 *
	45	Mankota	5	212
	75 A	Pinto Creek	NIL	166
	75 B	Pinto Creek	NIL	156
	76 A	Auvergne	NIL	163
	76 B	Auvergne	NIL	217
	77	Wise Creek	N/A	199 *
	78 A	Grassy Creek	1	235
	78 B	Grassy Creek	N/A	187 *
	78 C	Grassy Creek	N/A	219 *
	105	Glenbain	2	185
	106	Whiska Creek	NIL	182
	107	Lac Pelletier	N/A	173 *
	108	Bone Creek	20	245
3BN	138	Webb	12	225
	165	Morse	NIL	165
	166	Excelsior	1	150
	167	Sask. Landing	0	157
	168	Riverside	NIL	200
	226	Victory	N/A	75 *
	228 A	Lacadena	6	118
	228 B	Lacadena	9	124
	255	Coteau	N/A	38 *
4A	49	White Valley	6	173
	49 A	White Valley	2	156
	51	Reno	7	146
	79	Arlington	NIL	182
	109	Carmichael	NIL	213
	110	Piapot	NIL	177
	111 A	Maple Creek	TR	168
	111 B	Maple Creek	NIL	178
4B	139	Gull Lake	20	156
	141	Big Stick	TR	217
	142	Enterprise	NIL	191
	169	Pittville	N/A	143 *
	231	Happyland	3	175
	232	Deer Forks	4	150
5A	183	Fertile Belt	4	137
	184	Grayson	2	119
	185	Mcleod	TR	92
	186	Abernethy	1	112
	211	Churchbridge	1	77
	213	Saltcoats	14	102
	216 A	Tullymet	2	96
	216 B	Tullymet	NIL	98
	241	Calder	N/A	57 *
	243	Wallace	N/A	79 *
	245 A	Garry	3	115
	245 B	Garry	9	132
	246	Ituna Bon Accord	4	99
	247	Kellross	NIL	93
	248	Touchwood	NIL	92
5B	271	Cote	2	69
	273	Sliding Hills	20	56
	275	Insinger	N/A	83 *
	276	Foam Lake	N/A	93 *
	277	Emerald	NIL	92
	304	Buchanan	11	78
	307	Elfros	TR	117
	308	Big Quill	NIL	73
	333	Clayton	29	113
	335	Hazel Dell	6	116
	336	Sasman	3	90
	337	Lakeview	NIL	94
	338	Lakeside	11	113
	366	Kelvington	3	93
	367 B	Ponass Lake	N/A	81 *
6A	189	Lumsden	TR	143
	190 A	Dufferin	N/A	100 *
	190 B	Dufferin	1	105
	190 C	Dufferin	1	118
	219 B	Longlaketon	NIL	122
	219 C	Longlaketon	NIL	100
	220	Mckillop	4	104
	221	Sarnia	1	122
	222	Craik	1	115
	251	Big Arm	NIL	105
	252	Arm River	N/A	92 *
	279 A	Mount Hope	NIL	80
	279 B	Mount Hope	NIL	81
	280	Wreford	NIL	79
	282	Mccraney	NIL	82
	309	Prairie Rose	NIL	109
	312	Morris	NIL	75
	313	Lost River	NIL	71
	339	Leroy	TR	104
	340 A	Wolverine	1	88
	340 B	Wolverine	NIL	70
	341	Viscount	TR	58
	343	Blucher	4	72
6B	283	Rosedale	NIL	81
	284	Rudy	TR	81
	285	Fertile Valley	NIL	73
	286	Milden	NIL	66
	314	Dundurn	NIL	70
	344	Corman Park	4	46
	345	Vanscoy	NIL	44
	346	Perdue	3	61
	376 A	Eagle Creek	5	64
	376 B	Eagle Creek	8	66
	403	Rosthern	5	63
7A	259	Snipe Lake	13	122
	287	St. Andrews	1	73
	288	Pleasant Valley	8	80
	292	Milton	7	126
	317 A	Marriott	3	72
	317 B	Marriott	2	39
	318 A	Mountain View	6	113
	318 B	Mountain View	32	85
	320	Oakdale	11	139
	321	Prairiedale	10	110
7B	347 A	Biggar	18	77
	347 B	Biggar	5	56
	350 A	Mariposa	11	98
	350 B	Mariposa	10	78
	351	Progress	N/A	108 *
	352	Heart's Hill	18	168
	377	Glenside	11	66
	378 A	Rosemount	9	65
	378 B	Rosemount	12	93
	379	Reford	9	76
	380	Tramping Lake	7	82
	381	Grass Lake	17	154
	382	Eye Hill	25	215
	409	Buffalo	15	79
	410	Round Valley	N/A	122 *
	411	Senlac	N/A	109 *
8A	395	Porcupine	3	82
	397	Barrier Valley	6	69
	398	Pleasantdale	5	50
	428	Star City	7	71
	456	Arborfield	3	55
	457	Connaught	NIL	41
	458	Willow Creek	6	54
	486	Moose Range	3	34
	487	Nipawin	3	59
8B	369	St. Peter	7	58
	370	Humboldt	3	59
	371	Bayne	NIL	58
	372	Grant	N/A	72 *
	373	Aberdeen	N/A	22 *
	400	Three Lakes	NIL	54
	402	Fish Creek	TR	46
	429 A	Flett's Springs	N/A	34 *
	429 B	Flett's Springs	9	52
	431	St. Louis	4	40
	459	Kinistino	6	42
9AE	488	Torch River	14	83
	520	Paddockwood	2	40
9AW	405	Great Bend	3	35
	406	Mayfield	8	65
	435	Redberry	5	59
	436	Douglas	4	45
	463	Duck Lake	4	66
	464	Leask	19	106
	466	Meeting Lake	4	54
	467	Round Hill	13	76
	493	Shellbrook	9	47
	494	Canwood	12	43
	496	Spiritwood	16	69
	497	Medstead	3	59
	555	Big River	8	46
9B	438	Battle River	3	65
	440	Hillsdale	N/A	119 *
	442	Manitou Lake	6	97
	498 A	Parkdale	2	70
	498 B	Parkdale	NIL	81
	499	Mervin	10	102
	501 A	Frenchman Butte	8	102
	501 B	Frenchman Butte	5	73
	501 C	Frenchman Butte	7	91
	502	Britannia	3	101
	561	Loon Lake	14	60
	588 A	Meadow Lake	10	39
	588 B	Meadow Lake	10	52
	588 C	Meadow Lake	15	63
	588 D	Meadow Lake	19	54
	622	Beaver River	6	50

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Cumulative Rainfall
From: April 1, 2008
To: June 21, 2008



Cumulative Rainfall
From: April 1, 2008
To: June 21, 2008